

# Switch Box

Plastic Bolt Type for Opening/Closing – IP67



►It weighs a fourth as much as steel box and is convenient for carrying or working. No corrosion and excellent insulation.

►It is an excellent product that passed a thorough waterproof, dustproof impact-resistant test.

►It is useful for the usages such as DIN-Rail and button box, small terminal, signal device, measuring equipment, communication connection box, etc and is easy to mount.

## Materials & Composition Table

|              |                                           |              |                                                                          |
|--------------|-------------------------------------------|--------------|--------------------------------------------------------------------------|
| <b>A G</b>   | •Material:ABS<br>•Color: Gray             | <b>A T</b>   | •Material:Cover(PC), Body(ABS)<br>•Color: Cover(Clear), Body(Gray)       |
| <b>P G</b>   | •Material:AC Flammability<br>•Color: Gray | <b>P T</b>   | •Material:Cover(PC), Body(AC)<br>•Color: Cover(Clear), Body(Gray)        |
| <b>P C G</b> | •Material:POLYESTER<br>•Color: Gray       | <b>P C T</b> | •Material:Cover(PC), Body(POLYESTER)<br>•Color: Cover(Clear), Body(Gray) |

ABS:Acrylonitrile Butadiene Styrene

P C:PolyCarbonate

Polyester : PBT+PC

AC:ABS(30%)+PC(70%)

►SWITCH BOX Product has 6 product names as shown above and can be made of any of 4 materials shown above. SWITCH BOX Product acquired IP67 Grade on each product manufactured by any of 4 materials.

| Part Number       | Dimensions(mm) |     |     | Inch               | Others |
|-------------------|----------------|-----|-----|--------------------|--------|
|                   | W              | H   | D   |                    |        |
| DS-000-0506-S     | 50             | 65  | 35  | 1.97 × 2.56 × 1.38 |        |
| DS-000-0506       | 50             | 65  | 55  | 1.97 × 2.56 × 2.17 |        |
| DS-000-0808       | 80             | 82  | 60  | 3.15 × 3.23 × 2.36 |        |
| DS-000-0712       | 75             | 125 | 75  | 2.92 × 4.92 × 2.92 |        |
| DS-000-0712-1     | 75             | 125 | 100 | 2.92 × 4.92 × 3.94 |        |
| DS-000-0712-2     | 75             | 125 | 125 | 2.92 × 4.92 × 4.92 |        |
| DS-000-0811-S     | 80             | 110 | 45  | 3.15 × 4.33 × 1.77 |        |
| DS-000-0811-S1    | 80             | 110 | 60  | 3.15 × 4.33 × 2.36 |        |
| DS-000-0811       | 80             | 110 | 70  | 3.15 × 4.33 × 2.76 |        |
| DS-000-0811-1     | 80             | 110 | 85  | 3.15 × 4.33 × 3.35 |        |
| DS-000-0813       | 80             | 130 | 70  | 3.15 × 5.12 × 2.76 |        |
| DS-000-0813-1     | 80             | 130 | 85  | 3.15 × 5.12 × 3.35 |        |
| DS-000-0816-S     | 80             | 160 | 55  | 3.15 × 6.30 × 2.17 |        |
| DS-000-0816       | 80             | 160 | 90  | 3.15 × 6.30 × 3.54 |        |
| DS-000-0818       | 80             | 180 | 70  | 3.15 × 7.09 × 2.76 |        |
| DS-000-0818-1     | 80             | 180 | 85  | 3.15 × 7.09 × 3.35 |        |
| DS-000-0820       | 80             | 200 | 70  | 3.15 × 7.09 × 2.76 |        |
| DS-000-0825       | 80             | 250 | 70  | 3.15 × 9.84 × 2.76 |        |
| DS-000-0825-1     | 80             | 250 | 85  | 3.15 × 9.84 × 3.35 |        |
| DS-000-1010-S     | 100            | 100 | 75  | 3.93 × 3.93 × 2.95 |        |
| DS-000-1010       | 100            | 100 | 100 | 3.93 × 3.93 × 3.93 |        |
| DS-000-1212-S     | 125            | 125 | 75  | 4.92 × 4.92 × 2.92 |        |
| DS-000-1212       | 125            | 125 | 100 | 4.92 × 4.92 × 3.94 |        |
| DS-000-1217       | 125            | 175 | 75  | 4.92 × 6.89 × 2.92 |        |
| DS-000-1217-1     | 125            | 175 | 100 | 4.92 × 6.89 × 3.94 |        |
| DS-000-1417       | 140            | 170 | 95  | 5.51 × 6.69 × 3.74 |        |
| DS-000-1123       | 110            | 230 | 70  | 4.33 × 9.06 × 2.76 |        |
| DS-000-1423       | 140            | 230 | 95  | 5.51 × 9.06 × 3.74 |        |
| DS-000-1515       | 150            | 150 | 100 | 5.91 × 5.91 × 3.94 |        |
| DS-000-1520-S     | 150            | 200 | 75  | 5.91 × 7.87 × 2.95 |        |
| DS-000-1520       | 150            | 200 | 100 | 5.91 × 7.87 × 3.94 |        |
| DS-000-1520-S1    | 150            | 200 | 105 | 5.91 × 7.87 × 4.13 |        |
| DS-000-1520-1     | 150            | 200 | 130 | 5.91 × 7.87 × 5.12 |        |
| DS-000-1520-B     | 150            | 200 | 130 | 5.91 × 7.87 × 5.12 |        |
| DS-000-1520-B1    | 150            | 200 | 160 | 5.91 × 7.87 × 6.30 |        |
| DS-000-1525       | 150            | 250 | 100 | 5.91 × 9.84 × 3.94 |        |
| DS-000-1525-1     | 150            | 250 | 130 | 5.91 × 9.84 × 5.12 |        |
| DS-000-1525-B     | 150            | 250 | 130 | 5.91 × 9.84 × 5.12 |        |
| DS-000-1525-B1    | 150            | 250 | 160 | 5.91 × 9.84 × 6.30 |        |
| DS-000-1717       | 175            | 175 | 75  | 6.89 × 6.89 × 2.92 |        |
| DS-000-1717-1     | 175            | 175 | 100 | 6.89 × 6.89 × 3.94 |        |
| DS-000-1717-2     | 175            | 175 | 125 | 6.89 × 6.89 × 4.92 |        |
| DS-000-1725       | 175            | 250 | 75  | 6.89 × 9.84 × 2.92 |        |
| DS-000-1725-1     | 175            | 250 | 100 | 6.89 × 9.84 × 3.94 |        |
| DS-000-2020-S     | 200            | 200 | 95  | 7.87 × 7.87 × 3.74 |        |
| DS-000-2020       | 200            | 200 | 130 | 7.87 × 7.87 × 5.12 |        |
| DS-000-2020-B     | 200            | 200 | 160 | 7.87 × 7.87 × 6.30 |        |
| DS-000-0811(A1)   | 80             | 110 | 70  | 3.15 × 4.33 × 2.76 |        |
| DS-000-0811-1(B1) | 80             | 110 | 85  | 3.15 × 4.33 × 4.33 |        |
| DS-000-0813-1(A2) | 80             | 130 | 85  | 3.15 × 5.12 × 3.35 |        |
| DS-000-0813-1(B2) | 80             | 130 | 85  | 3.15 × 5.12 × 3.35 |        |
| DS-000-0818-1(A3) | 80             | 180 | 85  | 3.15 × 7.09 × 3.35 |        |
| DS-000-0818-1(B3) | 80             | 180 | 85  | 3.15 × 7.09 × 3.35 |        |
| DS-000-0825-1(A4) | 80             | 250 | 85  | 3.15 × 9.84 × 3.35 |        |
| DS-000-0825-1(B4) | 80             | 250 | 85  | 3.15 × 9.84 × 3.35 |        |


\* Products such as A1, A2, A3, A4, B1, B2, B3 and B4 from above products list are products processed only on the cover.

■ OOO mark of product at the above product list is to express a material.

■ Materials : AG, AT, PG, PT, PCG, PCT

■ Please refer to Material Composition Diagram by Products on Page 13.

|                  |                    |                    |                    |
|------------------|--------------------|--------------------|--------------------|
| A1 Ø30.5mm 1Hole | / A2 Ø30.5mm 2Hole | / A3 Ø30.5mm 3Hole | / A4 Ø30.5mm 4Hole |
| B1 Ø22.5mm 1Hole | / B2 Ø22.5mm 2Hole | / B3 Ø22.5mm 3Hole | / B4 Ø22.5mm 4Hole |




ex) photos of products processed solely

# Switch Box

SUS draw latch Type for Opening/Closing- IP67

Switch Box



- ▶It weighs a fourth as much as steel box and is convenient for carrying or working. No corrosion and excellent insulation.
- ▶It is an excellent product that passed a thorough waterproof, dustproof impact-resistant test.
- ▶It is useful for the usages such as DIN-Rail and button box, small terminal, signal device, measuring equipment, communication connection box, etc and is easy to mount.

## Materials & Composition Table

|              |                                           |              |                                                                          |
|--------------|-------------------------------------------|--------------|--------------------------------------------------------------------------|
| <b>A G</b>   | •Material:ABS<br>•Color: Gray             | <b>A T</b>   | •Material:Cover(PC), Body(ABS)<br>•Color: Cover(Clear), Body(Gray)       |
| <b>P G</b>   | •Material:AC Flammability<br>•Color: Gray | <b>P T</b>   | •Material:Cover(PC), Body(AC)<br>•Color: Cover(Clear), Body(Gray)        |
| <b>P C G</b> | •Material:POLYESTER<br>•Color: Gray       | <b>P C T</b> | •Material:Cover(PC), Body(POLYESTER)<br>•Color: Cover(Clear), Body(Gray) |

|                                     |                     |
|-------------------------------------|---------------------|
| ABS:Acrylonitrile Butadiene Styrene | P C:PolyCarbonate   |
| Polyester : PBT+PC                  | AC:ABS(30%)+PC(70%) |

▶SWITCH BOX Product has 6 product names as shown above and can be made of any of 4 materials shown above. SWITCH BOX Product acquired IP67 Grade on each product manufactured by any of 4 materials.

| Part Number        | Dimensions(mm) |     |     | Inch               | Others |
|--------------------|----------------|-----|-----|--------------------|--------|
|                    | W              | H   | D   |                    |        |
| DS-OOOH-0712       | 75             | 125 | 75  | 2.92 × 4.92 × 2.92 |        |
| DS-OOOH-0712-1     | 75             | 125 | 100 | 2.92 × 4.92 × 3.94 |        |
| DS-OOOH-0712-2     | 75             | 125 | 125 | 2.92 × 4.92 × 4.92 |        |
| DS-OOOH-0811-S     | 80             | 110 | 45  | 3.15 × 4.33 × 1.77 |        |
| DS-OOOH-0811-S1    | 80             | 110 | 60  | 3.15 × 4.33 × 2.36 |        |
| DS-OOOH-0811       | 80             | 110 | 70  | 3.15 × 4.33 × 2.76 |        |
| DS-OOOH-0811-1     | 80             | 110 | 85  | 3.15 × 4.33 × 3.35 |        |
| DS-OOOH-0813       | 80             | 130 | 70  | 3.15 × 5.12 × 2.76 |        |
| DS-OOOH-0813-1     | 80             | 130 | 85  | 3.15 × 5.12 × 3.35 |        |
| DS-OOOH-0816-S     | 80             | 160 | 55  | 3.15 × 6.30 × 2.17 |        |
| DS-OOOH-0816       | 80             | 160 | 90  | 3.15 × 6.30 × 3.54 |        |
| DS-OOOH-0818       | 80             | 180 | 70  | 3.15 × 7.09 × 2.76 |        |
| DS-OOOH-0818-1     | 80             | 180 | 85  | 3.15 × 7.09 × 3.35 |        |
| DS-OOOH-0820       | 80             | 200 | 70  | 3.15 × 7.09 × 2.76 |        |
| DS-OOOH-0825       | 80             | 250 | 70  | 3.15 × 9.84 × 2.76 |        |
| DS-OOOH-0825-1     | 80             | 250 | 85  | 3.15 × 9.84 × 3.35 |        |
| DS-OOOH-1010-S     | 100            | 100 | 75  | 3.93 × 3.93 × 2.95 |        |
| DS-OOOH-1010       | 100            | 100 | 100 | 3.93 × 3.93 × 3.93 |        |
| DS-OOOH-1212-S     | 125            | 125 | 75  | 4.92 × 4.92 × 2.92 |        |
| DS-OOOH-1212       | 125            | 125 | 100 | 4.92 × 4.92 × 3.94 |        |
| DS-OOOH-1217       | 125            | 175 | 75  | 4.92 × 6.89 × 2.92 |        |
| DS-OOOH-1217-1     | 125            | 175 | 100 | 4.92 × 6.89 × 3.94 |        |
| DS-OOOH-1417       | 140            | 170 | 95  | 5.51 × 6.69 × 3.74 |        |
| DS-OOOH-1123       | 110            | 230 | 70  | 4.33 × 9.06 × 2.76 |        |
| DS-OOOH-1423       | 140            | 230 | 95  | 5.51 × 9.06 × 3.74 |        |
| DS-OOOH-1515       | 150            | 150 | 100 | 5.91 × 5.91 × 3.94 |        |
| DS-OOOH-1520-S     | 150            | 200 | 75  | 5.91 × 7.87 × 2.95 |        |
| DS-OOOH-1520       | 150            | 200 | 100 | 5.91 × 7.87 × 3.94 |        |
| DS-OOOH-1520-S1    | 150            | 200 | 105 | 5.91 × 7.87 × 4.13 |        |
| DS-OOOH-1520-1     | 150            | 200 | 130 | 5.91 × 7.87 × 5.12 |        |
| DS-OOOH-1520-B     | 150            | 200 | 130 | 5.91 × 7.87 × 5.12 |        |
| DS-OOOH-1520-B1    | 150            | 200 | 160 | 5.91 × 7.87 × 6.30 |        |
| DS-OOOH-1525       | 150            | 250 | 100 | 5.91 × 9.84 × 3.94 |        |
| DS-OOOH-1525-1     | 150            | 250 | 130 | 5.91 × 9.84 × 5.12 |        |
| DS-OOOH-1525-B     | 150            | 250 | 130 | 5.91 × 9.84 × 5.12 |        |
| DS-OOOH-1525-B1    | 150            | 250 | 160 | 5.91 × 9.84 × 6.30 |        |
| DS-OOOH-1717       | 175            | 175 | 75  | 6.89 × 6.89 × 2.92 |        |
| DS-OOOH-1717-1     | 175            | 175 | 100 | 6.89 × 6.89 × 3.94 |        |
| DS-OOOH-1717-2     | 175            | 175 | 125 | 6.89 × 6.89 × 4.92 |        |
| DS-OOOH-1725       | 175            | 250 | 75  | 6.89 × 9.84 × 2.92 |        |
| DS-OOOH-1725-1     | 175            | 250 | 100 | 6.89 × 9.84 × 3.94 |        |
| DS-OOOH-2020-S     | 200            | 200 | 95  | 7.87 × 7.87 × 3.74 |        |
| DS-OOOH-2020       | 200            | 200 | 130 | 7.87 × 7.87 × 5.12 |        |
| DS-OOOH-2020-B     | 200            | 200 | 160 | 7.87 × 7.87 × 6.30 |        |
| DS-OOOH-0811(A1)   | 80             | 110 | 70  | 3.15 × 4.33 × 2.76 |        |
| DS-OOOH-0811-1(B1) | 80             | 110 | 85  | 3.15 × 4.33 × 4.33 |        |
| DS-OOOH-0813-1(A2) | 80             | 130 | 85  | 3.15 × 5.12 × 3.35 |        |
| DS-OOOH-0813-1(B2) | 80             | 130 | 85  | 3.15 × 5.12 × 3.35 |        |
| DS-OOOH-0818-1(A3) | 80             | 180 | 85  | 3.15 × 7.09 × 3.35 |        |
| DS-OOOH-0818-1(B3) | 80             | 180 | 85  | 3.15 × 7.09 × 3.35 |        |
| DS-OOOH-0825-1(A4) | 80             | 250 | 85  | 3.15 × 9.84 × 3.35 |        |
| DS-OOOH-0825-1(B4) | 80             | 250 | 85  | 3.15 × 9.84 × 3.35 |        |

※ Products such as A1, A2, A3, A4, B1, B2, B3 and B4 from above products list are products processed only on the cover.

■ OOO mark of product at the above product list is to express a material.

■ Materials : AG, AT, PG, PT, PCG, PCT

■ Please refer to Material Composition Diagram by Products on Page 13.


|                  |                    |                    |                    |
|------------------|--------------------|--------------------|--------------------|
| A1 Ø30.5mm 1Hole | / A2 Ø30.5mm 2Hole | / A3 Ø30.5mm 3Hole | / A4 Ø30.5mm 4Hole |
| B1 Ø22.5mm 1Hole | / B2 Ø22.5mm 2Hole | / B3 Ø22.5mm 3Hole | / B4 Ø22.5mm 4Hole |



# Switch Box

# Assembly Drawing

• HI BOX 전제품에 장착가능



## ■DS-AT-1520-1

- Aluminum panel can be fitted
- Screw type is a basic specification

- ①②③ - Basic specification
- ④ ~ ⑩ - Optional specification

## Accessories



Bracket



DS-PB-40/30



DS-VH-40



DS-VH-50




DS-VH-60/DS-VH-80  
(75×75mm) (100×100mm)



DSK-40



DS-PK-20




DSK-20



DSK-20M



DSM-45



DSH-35



DSB-25 ⊕⊖



DSC-10


■Please refer to Accessories List on Page 52~58.

# Switch Box Drawing Information

| Division<br>Model | H1  | H2    | H3  | H4    | W1  | W2    | W3  | D1  | D2 |
|-------------------|-----|-------|-----|-------|-----|-------|-----|-----|----|
| DS-0506-S         | 67  | 58    | 52  | 38    | 53  | 42    | 37  | 25  | 10 |
| DS-0506           | 65  | 59    | 52  | 40    | 50  | 44    | 37  | 35  | 20 |
| DS-0808           | 82  | 76    | 70  | 55    | 79  | 74    | 68  | 45  | 15 |
| DS-0712           | 125 | 120   | 107 | 90    | 75  | 70    | 57  | 52  | 25 |
| DS-0712-1         | 125 | 120   | 107 | 90    | 75  | 70    | 57  | 52  | 50 |
| DS-0712-2         | 125 | 120   | 107 | 90    | 75  | 70    | 57  | 52  | 75 |
| DS-0811-S         | 110 | 104   | 92  | 80    | 80  | 74    | 62  | 25  | 20 |
| DS-0811           | 110 | 104   | 92  | 80    | 80  | 74    | 62  | 50  | 20 |
| DS-0811-1         | 110 | 104   | 92  | 80    | 80  | 74    | 62  | 50  | 35 |
| DS-0813           | 130 | 124   | 112 | 100   | 80  | 74    | 62  | 50  | 20 |
| DS-0813-1         | 130 | 124   | 112 | 100   | 80  | 74    | 62  | 50  | 35 |
| DS-0816-S         | 162 | 156   | 145 | 136   | 82  | 75    | 66  | 40  | 15 |
| DS-0816           | 162 | 156   | 145 | 136   | 82  | 75    | 66  | 75  | 15 |
| DS-0818           | 180 | 174   | 162 | 150   | 80  | 74    | 62  | 50  | 20 |
| DS-0818-1         | 180 | 174   | 162 | 150   | 80  | 74    | 62  | 50  | 35 |
| DS-0820           | 180 | 174   | 162 | 150   | 80  | 74    | 62  | 50  | 35 |
| DS-0825           | 250 | 244   | 232 | 220   | 80  | 74    | 62  | 50  | 20 |
| DS-0825-1         | 250 | 244   | 232 | 220   | 80  | 74    | 62  | 50  | 35 |
| DS-1010           | 100 | 91    | 80  | 68    | 100 | 91    | 80  | 80  | 20 |
| DS-1010-S         | 100 | 91    | 80  | 68    | 100 | 91    | 80  | 55  | 20 |
| DS-1212-S         | 125 | 117   | 105 | 70    | 125 | 117   | 105 | 55  | 20 |
| DS-1212           | 125 | 117   | 105 | 70    | 125 | 117   | 105 | 80  | 20 |
| DS-1217           | 175 | 167   | 157 | 140   | 127 | 121   | 109 | 49  | 25 |
| DS-1217-1         | 175 | 167   | 157 | 140   | 127 | 121   | 109 | 49  | 50 |
| DS-1417           | 170 | 162   | 152 | 130   | 140 | 132   | 122 | 75  | 20 |
| DS-1123           | 230 | 222   | 205 | 182   | 110 | 103   | 91  | 57  | 55 |
| DS-1423           | 230 | 220   | 212 | 190   | 140 | 132   | 122 | 60  | 75 |
| DS-1515           | 150 | 139,5 | 131 | 109,5 | 150 | 139,5 | 131 | 80  | 20 |
| DS-1520-S         | 200 | 190   | 182 | 160   | 150 | 139   | 132 | 52  | 25 |
| DS-1520           | 200 | 190   | 182 | 160   | 150 | 139   | 132 | 80  | 20 |
| DS-1520-1         | 200 | 190   | 182 | 160   | 150 | 139   | 132 | 80  | 50 |
| DS-1520-B         | 200 | 190   | 182 | 160   | 150 | 139   | 132 | 110 | 20 |
| DS-1520-B1        | 200 | 190   | 182 | 160   | 150 | 139   | 132 | 110 | 50 |
| DS-1525           | 250 | 240   | 232 | 210   | 150 | 140   | 132 | 80  | 20 |
| DS-1525-1         | 250 | 240   | 232 | 210   | 150 | 140   | 132 | 80  | 50 |
| DS-1525-B         | 250 | 240   | 232 | 210   | 150 | 140   | 132 | 110 | 20 |
| DS-1525-B1        | 250 | 240   | 232 | 210   | 150 | 140   | 132 | 110 | 50 |
| DS-1717           | 175 | 170   | 157 | 140   | 175 | 170   | 157 | 52  | 25 |
| DS-1717-1         | 175 | 170   | 157 | 140   | 175 | 170   | 157 | 52  | 50 |
| DS-1717-2         | 175 | 170   | 157 | 140   | 175 | 170   | 157 | 52  | 75 |
| DS-1725           | 250 | 245   | 232 | 211   | 175 | 170   | 157 | 52  | 25 |
| DS-1725-1         | 250 | 245   | 232 | 211   | 175 | 170   | 157 | 52  | 50 |
| DS-2020-S         | 200 | 193   | 182 | 120   | 200 | 193   | 182 | 75  | 20 |
| DS-2020           | 200 | 193   | 182 | 120   | 200 | 193   | 182 | 110 | 20 |
| DS-2020-B         | 201 | 193,5 | 182 | 120   | 201 | 193,5 | 182 | 140 | 20 |

## Steel Mounting Panel

| Product               | mm<br>W×H×D       | inch<br>W×H×D      | MODEL     |
|-----------------------|-------------------|--------------------|-----------|
| DS-000-0506           | 55 × 40 × 1,6     | 2,17 × 1,57 × 0,06 | DS-0506   |
| DS-000-0712(-1,-2)    | 106 × 60 × 1,6    | 4,17 × 2,36 × 0,06 | DS-0712   |
| DS-000-0808           | 71 × 65 × 1,6     | 2,79 × 2,56 × 0,06 | DS-0808   |
| DS-000-0811-S         | 93 × 63 × 1,6     | 3,66 × 2,48 × 0,06 | DS-0811-S |
| DS-000-0811(-1)       | 96,5 × 68 × 1,6   | 3,80 × 2,68 × 0,06 | DS-0811   |
| DS-000-0813(-1)       | 116 × 68 × 1,6    | 4,57 × 2,68 × 0,06 | DS-0813   |
| DS-000-0816(-S)       | 150 × 65 × 1,6    | 5,91 × 2,56 × 0,06 | DS-0816   |
| DS-000-0818(-1)       | 165,5 × 68 × 1,6  | 6,52 × 2,68 × 0,06 | DS-0818   |
| DS-000-0820           | 165,5 × 68 × 1,6  | 6,52 × 2,68 × 0,06 | DS-0820   |
| DS-000-0825(-1)       | 235 × 68 × 1,6    | 9,25 × 2,68 × 0,06 | DS-0825   |
| DS-000-1010(-S)       | 88 × 88 × 1,6     | 3,46 × 3,46 × 0,06 | DS-1010   |
| DS-000-1212(-S)       | 99 × 99 × 1,6     | 3,90 × 3,90 × 0,06 | DS-1212   |
| DS-000-1217(-1)       | 157 × 99 × 1,6    | 6,18 × 3,90 × 0,06 | DS-1217   |
| DS-000-1417           | 156 × 124 × 1,6   | 6,14 × 4,88 × 0,06 | DS-1417   |
| DS-000-1423           | 212 × 122 × 1,6   | 8,35 × 4,80 × 0,06 | DS-1423   |
| DS-000-1520(-1,-S,B1) | 186 × 136 × 1,6   | 7,32 × 5,35 × 0,06 | DS-1520   |
| DS-000-1525(-1,B,B1)  | 235,5 × 136 × 1,6 | 9,27 × 5,35 × 0,06 | DS-1525   |
| DS-000-1717(-1,-2)    | 161 × 161 × 1,6   | 6,34 × 6,34 × 0,06 | DS-1717   |
| DS-000-1725(-1)       | 235 × 165 × 1,6   | 9,25 × 6,50 × 0,06 | DS-1725   |
| DS-000-2020(-S,-B)    | 187 × 187 × 1,6   | 7,36 × 7,36 × 0,06 | DS-2020   |



## Plastic Mounting Panel

| Product                | mm<br>W×H×D      | inch<br>W×H×D      | MODEL       |
|------------------------|------------------|--------------------|-------------|
| DS-000-0811(-S,-1)     | 96,5 × 68 × 3,5  | 3,80 × 2,68 × 0,14 | DS-0811 P/L |
| DS-000-0813(-1)        | 116 × 68 × 3,5   | 4,57 × 2,68 × 0,14 | DS-0813 P/L |
| DS-000-0818(-1)        | 165,5 × 68 × 3,5 | 6,52 × 2,68 × 0,14 | DS-0818 P/L |
| DS-000-0825(-1)        | 235 × 68 × 3,5   | 9,25 × 2,68 × 0,14 | DS-0825 P/L |
| DS-000-1010(-S)        | 88 × 88 × 1,6    | 3,46 × 3,46 × 0,06 | DS-1010 P/L |
| DS-000-1515            | 124 × 124 × 3,75 | 4,48 × 4,48 × 0,15 | DS-1515 P/L |
| DS-000-1520(-1,-S,B1)  | 186 × 136 × 3,0  | 7,32 × 5,35 × 0,12 | DS-1520 P/L |
| DS-000-1525(-1,-B,-B1) | 235 × 136 × 3,7  | 9,25 × 5,35 × 0,15 | DS-1525 P/L |
| DS-000-2020(-S)        | 187 × 187 × 3,3  | 7,36 × 7,36 × 0,13 | DS-2020 P/L |
| DS-000-0712(-1,-2)     | 112 × 57 × 3,9   | 4,41 × 2,24 × 0,15 | DS-0712 P/L |
| DS-000-1212(-S)        | 107 × 107 × 4,0  | 4,21 × 4,21 × 0,16 | DS-1212 P/L |
| DS-000-1417            | 149 × 119 × 4,0  | 5,87 × 4,68 × 0,16 | DS-1417 P/L |
| DS-000-1423            | 211 × 121 × 4,0  | 8,31 × 4,76 × 0,16 | DS-1423 P/L |
| DS-000-1717(-1,-2)     | 159 × 159 × 4,0  | 6,26 × 6,26 × 0,16 | DS-1717 P/L |
| DS-000-1725(-1)        | 230 × 157 × 4,0  | 9,05 × 6,18 × 0,16 | DS-1725 P/L |
| DS-000-1217(-1)        | 107 × 119 × 4,0  | 4,21 × 4,68 × 0,16 | DS-1217 P/L |

## Dimension

(Allowable error: ± 1mm)

